

Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1186-6	42w	4200lm	Φ850*1200mm	2700-3000K	≥ 80	AL+IRON





▲ KD1186-4



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1186-4	28w	2800lm	425*425*1200mm	2700-3000K	≥ 80	AL+IRON






▲ KD1403A-3



▲ KD1403A-4




▲ KD1403A-5



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1403A-3	18w	1800lm	φ90*1500mm	2700-3000K	≥80	AL+IRON
KD1403A-4	24w	2400lm	φ90*1500mm	2700-3000K	≥80	AL+IRON
KD1403A-5	30w	3000lm	φ90*1800mm	2700-3000K	≥80	AL+IRON






▲ KL1403A




▲ KT1403A



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1403A	14.4w	1224lm	170*170*495mm	2700-3000K	≥80	AL+IRON
KL1403A	25.2w	2142lm	250*250*1524mm	2700-3000K	≥80	AL+IRON







▲ KD1403A-1500



▲ KD1403A-1200




Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1403A-1200	24w	2400lm	1200*90*1200mm	2700-3000K	≥ 80	AL+IRON
KD1403A-1500	30w	3000lm	1500*90*1200mm	2700-3000K	≥ 80	AL+IRON





height adjustment




产品参数 Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1420	10w	1000lm	φ 84*1800mm	2700~3000K	≥80	AL+IRON





Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KB1420	10w	1000lm	190*100*145mm	2700-3000K	≥ 80	AL+IRON






▲ KL1420



▲ KT1420




Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1420	10w	1000lm	φ 165*492mm	2700-3000K	≥ 80	AL+IRON
KL1420	10w	1000lm	φ 300*1438mm	2700-3000K	≥ 80	AL+IRON





▲ KD1423-600

height adjustment



▲ KD1423-400



remote control



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1423-400	36w	3600lm	Φ400*1800mm	2700-5500K	≥80	AL+IRON
KD1423-600	56w	5600lm	Φ600*1800mm	2700-5500K	≥80	AL+IRON





▲ KD1424/1(920*420)




▲ KD1424/2(920*42+720+220)

Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1424-1	72.8w	7280lm	920*420*1200mm	2700-3000K	≥80	AL+IRON
KD1424-2	123.2w	12320lm	920*450*1500mm	2700-3000K	≥80	AL+IRON







▲ KD1427-C



▲ KD1427-B



▲ KD1427-A




Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material	单价price
KD1427-A	9w	900lm	Φ100*1200mm	2700-3000K	≥80	AL+IRON	¥1,520
KD1427-B	9w	900lm	Φ100*1200mm	2700-3000K	≥80	AL+IRON	¥1,680
KD1427-C	9w	900lm	Φ100*1200mm	2700-3000K	≥80	AL+IRON	¥1,800







Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1430-1	15w	1500lm	Φ 215*1200mm	2700-3000K	≥ 80	AL+IRON





Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1430-3	45w	4500lm	1015*215*1200mm	2700-3000K	≥80	AL+IRON






▲ KL1430



▲ KT1430




Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1430	15w	1500lm	φ215*480mm	2700-3000K	≥80	AL+IRON
KL1430	15w	1500lm	φ270*1430mm	2700-3000K	≥80	AL+IRON






Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1431-2	23w	2300lm	382*250*1200mm	2700-3000K	≥80	AL+IRON







▲ KX1431-3



▲ KX1431-2



390



540

Product parameter

Gesture
Sensor
Dimming

LED

CE

RoHS

TÜV Rheinland

Energy Right

CCC

型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KX1431-2	24w	2400lm	Φ600*390mm	2700-3000K	≥80	AL+IRON
KX1431-3	34w	3400lm	Φ600*540mm	2700-3000K	≥80	AL+IRON





▲ KD1434-3方



▲ KD1434-2方



▲ KD1434-440方/610方/780方



remote control






Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1434-440方	48w	4800lm	440*440*1200mm	2700-5500K	≥80	AL+IRON
KD1434-610方	70w	7000lm	610*610*1200mm	2700-5500K	≥80	AL+IRON
KD1434-780方	96w	9600lm	780*780*1200mm	2700-5500K	≥80	AL+IRON
KD1434-2方	110w	11000lm	906*610*1500mm	2700-5500K	≥80	AL+IRON
KD1434-3方	207w	20700lm	1150*1065*1800mm	2700-5500K	≥80	AL+IRON






height adjustment




remote control



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1434-400	72w	7200lm	Φ400*1800mm	2700-5500K	≥80	AL+IRON
KD1434-600	112w	11200lm	Φ600*1800mm	2700-5500K	≥80	AL+IRON





remote control



91

Φ400/Φ600

Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KX1434-400	52w	5200lm	Φ400*91mm	2700-5500K	≥80	AL+IRON
KX1434-600	80w	8000lm	Φ600*91mm	2700-5500K	≥80	AL+IRON







▲ KD1432-9



▲ KD1432-7




Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1432-7	35w	3500lm	736*485*1200mm	2700-3000K	≥ 80	AL+IRON
KD1432-9	63w	6300lm	943*485*1200mm	2700-3000K	≥ 80	AL+IRON





Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1432-12	60w	6000lm	$\phi 854 \times 1200 \text{ mm}$	2700-3000K	≥ 80	AL+IRON









remote control

Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1435-400方	55w	5500lm	407*407*1200mm	3000-5500K	≥80	AL+IRON
KD1435-600方	74.5w	7450lm	607*607*1200mm	3000-5500K	≥80	AL+IRON
KD1435-2方 (400+600)	116w	11600lm	869*605*1200mm	3000-5500K	≥80	AL+IRON
KD1435-3方(400+600+800)	171w	17100lm	1026*1243*1500mm	3000-5500K	≥80	AL+IRON







▲ KD1435-2



▲ KD1435-400/600



remote control



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1435-400元	44w	4400lm	Φ420*1200mm	3000-5500K	≥ 80	AL+IRON
KD1435-600元	69w	6900lm	Φ620*1200mm	3000-5500K	≥ 80	AL+IRON
KD1435-3	147w	14700lm	1174*994*1500mm	3000-5500K	≥ 80	AL+IRON







▲ KD1437-400+600



▲ KD1437-3(400+600+800)



remote control



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1437-400+600	100w	10000lm	Φ600*1200mm	3000-5500k	≥80	AL+IRON
KD1437-3	220w	22000lm	1225*905*1800mm	3000-5500k	≥80	AL+IRON





▲ KD1437-415+615



▲ KD1437-3万



▲ KD1437-415/615



remote control
遥控调光

Product parameter





型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1437-415	35w	3500lm	415*415*1200mm	3000-5500K	≥ 80	AL+IRON
KD1437-615	65w	6500lm	615*615*1200mm	3000-5500K	≥ 80	AL+IRON
KD1437-415+615	97w	9700lm	876*615*1500mm	3000-5500K	≥ 80	AL+IRON
KD1437-3	196w	19600lm	1111*1163*1800mm	3000-5500K	≥ 80	AL+IRON





height adjustment



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1437-400	40w	4000lm	Φ400*1800mm	2700-4300K	≥80	AL+IRON
KD1437-600	70w	7000lm	Φ600*1800mm	2700-4300K	≥80	AL+IRON





remote control



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KX1437-400	20w	2000lm	Φ400*88.5mm	2700-4300K	≥ 80	IRON
KX1437-600	35w	3500lm	Φ600*88.5mm	2700-4300K	≥ 80	IRON









▲ KB1462-A



▲ KD1462



▲ KB1462-B

Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1462-200	20w	2000lm	Φ206*1200mm	2700-3000K	≥80	AL+IRON
KB1462-A	20w	2000lm	409*206*1395mm	2700-3000K	≥80	AL+IRON
KB1462-B	20w	2000lm	1216*206*804mm	2700-3000K	≥80	AL+IRON





▲ KX1436-650



▲ KX1436-450



▲ KX1436-250



remote control

Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KX1436-250	18w	1800lm	φ250*180mm	3000-5500K	≥80	IRON
KX1436-450	48w	4800lm	φ450*140mm	3000-5500K	≥80	IRON
KX1436-600	96w	9600lm	φ650*100mm	3000-5500K	≥80	IRON





Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1433-A	8w	800lm	Φ180*260mm	2700-3000K	≥ 80	IRON
KT1433-B	14w	1400lm	Φ250*348mm	2700-3000K	≥ 80	IRON





remote control



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1438-450	36w	3600lm	Φ450*1200mm	3000-5500K	≥80	AL+IRON
KD1438-600	46w	4600lm	Φ600*1200mm	3000-5500K	≥80	AL+IRON
KD1438-800	60w	6000lm	Φ800*1200mm	3000-5500K	≥80	AL+IRON







▲ KD1438-3(450+600+800)



▲ KD1438-2(450+600)



remote control




Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1438-2	88w	8800lm	900*600*1500mm	3000-5500K	≥80	AL+IRON
KD1438-3	160w	16000lm	1130*1097*1800mm	3000-5500K	≥80	AL+IRON





▲ KD1438-900

height adjustment



▲ KD1438-1200




remote control

Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material	单价price
KD1438-900	30w	3000lm	900*100*1800mm	3000~5500K	≥80	AL+IRON	¥4,440
KD1438-1200	33.4w	3340lm	1200*100*1800mm	3000~5500K	≥80	AL+IRON	¥5,000







▲ KD1439



remote control



▲ KX1439-450/600



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KX1439-450	26w	2600lm	Φ450*69mm	3000-5500K	≥80	AL+IRON
KX1439-600	42w	4200lm	Φ600*69mm	3000-5500K	≥80	AL+IRON
KD1439-450	26w	2600lm	Φ450*1200mm	3000-5500K	≥80	AL+IRON





height adjustment

Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1440	7w	700m	Φ100*1800mm	2700-3000K	≥80	AL+IRON





remote control




Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1461-410	35w	3500lm	Φ410*1200mm	3000-5500K	≥ 80	AL+IRON
KD1461-610	61.5w	6150lm	Φ610*1200mm	3000-5500K	≥ 80	AL+IRON
KD1461-800	97.5w	9750lm	Φ800*1200mm	3000-5500K	≥ 80	AL+IRON





height adjustment



remote control



1200

Φ410/Φ610

Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1461-410升降	35w	3500lm	Φ410*1800mm	3000-5500K	≥80	AL+PU
KD1461-610升降	61.5w	6150lm	Φ610*1800mm	3000-5500K	≥80	AL+PU





touchless control

height adjustment

Product parameter

Gesture
Sensor
Dimming

LED

CE

RoHS

TÜV Rheinland

certified by TüV

CCC

型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1441	7w	700lm	Φ100*1800mm	2700-3000K	≥80	AL+IRON







▲ KD1442-1



▲ KD1442-3



▲ KD1442-5



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1442-1	5w	500lm	Φ75*1200mm	2700-3000K	≥80	AL+IRON
KD1442-3	9w	900lm	600*75*1200mm	2700-3000K	≥80	AL+IRON
KD1442-5	15w	1500lm	800*75*1200mm	2700-3000K	≥80	AL+IRON





Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1442-4	20w	2000lm	425*425*1200mm	2700-3000K	≥80	AL+IRON
KD1442-6	30w	3000lm	Φ825*1200mm	2700-3000K	≥80	AL+IRON





Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1443-1	5w	500lm	Φ190*1200mm	2700-3000K	≥80	AL+IRON







▲ KD1443-5



▲ KD1443-3



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material	单价price
KD1443-3	9w	900lm	600*190*1200mm	2700-3000K	≥80	AL+IRON	¥3,440
KD1443-5	15w	1500lm	800*190*1200mm	2700-3000K	≥80	AL+IRON	¥5,320





▲ KD1443-22



▲ KD1443-16

Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1443-16	48w	4800lm	Φ650*1500mm	2700-3000K	≥80	AL+IRON
KD1443-22	66w	6600lm	Φ800*1800mm	2700-3000K	≥80	AL+IRON





height adjustment

Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material	单价price
KD1444	7w	700lm	Φ400*1800mm	2700-3000K	≥80	AL+IRON	¥2,384





remote control

height adjustment





Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1445-430	26w	2600lm	Φ430*1800mm	3000-5500K	≥80	IRON





height adjustment

remote control



Product parameter

G9

CE


ROHS

TÜVRheinland

Product safety

CCC

型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1445/510	45w	4500lm	Φ510*1800mm	3000-5500K	≥80	IRON
KD1445/300	27w	2700lm	Φ305*1800mm	3000-5500K	≥80	IRON






Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KL1445	26w	2600lm	Φ400*1710mm	2700-3000K	≥80	IRON





▲ KL1446-A

▲ KL1446-C

▲ KL1446-B



Angle adjustable



▲ KT1446

Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KL1446-A	10w	1000lm	Φ370*1680mm	2700-3000K	≥ 80	AL+IRON
KL1446-B	10w	1000lm	Φ370*1977mm	2700-3000K	≥ 80	AL+IRON
KL1446-C	10w	1000lm	Φ370*2272mm	2700-3000K	≥ 80	AL+IRON
KT1446	7w	700lm	Φ200*479mm	2700-3000K	≥ 80	AL+IRON






▲ KD1460-3



▲ KD1460-2




remote control



960

695



1340

1097

Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1460-2	95w	9500lm	960*695*1500mm	3000-5500K	≥ 80	AL+IRON
KD1460-3	185w	18500lm	1340*1097*1800mm	3000-5500K	≥ 80	AL+IRON





▲ KD1460-420/620

▲ KD1460-470/700




height adjustment

Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1460-420	35w	3500lm	Φ421*2000mm	3000-5500K	≥80	AL+PU
KD1460-620	61.5w	6150lm	Φ621*2000mm	3000-5500K	≥80	AL+PU
KD1460-470	35w	3500lm	470*464*2000mm	3000-5500K	≥80	AL+PU
KD1460-700	64w	6400lm	695*684*2000mm	3000-5500K	≥80	AL+PU






▲ KD1463-450



▲ KD1463-320



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1463-320	16w	1600lm	Φ320*1200mm	2700-3000K	≥80	AL+IRON
KD1463-450	26w	2600lm	Φ450*1200mm	2700-3000K	≥80	AL+IRON






touch dimming



charge



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1400	10w	1000lm	Φ197*290mm	2700-3000K	≥90	IRON


Input : DC5V 2A Battery size : 18650LI

Battery Ca : 6000ma Battery Voltage : 3.7V





touch dimming



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1465	21w	2100lm	Φ350*381mm	2700-3000K	≥ 80	IRON+GLASS







▲ KB1466



▲ KT1466



▲ KT1466



产品参数 Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1466	9w	900lm	857*215*945mm	2700-3000K	≥ 80	AL+IRON
KB11466	9w	900lm	803*80*745mm	2700-3000K	≥ 80	AL+IRON





Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KD1467-250	5w	500lm	Φ250*1200mm	2700-3000K	≥80	IRON+GLASS
KD1467-300	8w	800lm	Φ300*1200mm	2700-3000K	≥80	IRON+GLASS





touchless control



Product parameter

Gesture
Sensor
Dimming

LED

CE

RoHS

TÜV Rheinland

Provenly Right


CCC

型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KL1272	10w	1000lm	Φ300*1390mm	2700-3000K	≥80	AL+IRON





touchless control



Product parameter

Gesture
Sensor
Dimming

LED


CE

RoHS

TÜVRheinland®
Product Right

CCC

型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1272	10w	1000lm	Φ200*540mm	2700-3000K	≥80	IRON





remote control



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KX1108	27w	270lm	Φ503×108mm	3000-5500K	≥80	IRON





remote control



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KX1371-400A	48w	4800lm	Φ400*110mm	2700-3000K	≥80	IRON
KX1371-600A	80w	8000lm	Φ600*110mm	2700-3000K	≥80	IRON





remote control



Product parameter



TÜVRheinland®
Precision Right.



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KX1459-450	34w	3400lm	450*446*62mm	3000-6000K	≥ 80	AL+IRON
KX1459-600	51w	5100lm	600*594*62mm	3000-6000K	≥ 80	AL+IRON





▲ KX1459-730



▲ KX1459-890



remote control



Product parameter




型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KX1459-730	53w	5300lm	729*492*62mm	3000-6000K	≥80	AL+IRON
KX1459-890	73w	7300lm	890*511*62mm	3000-6000K	≥80	AL+IRON






▲ KT1458



KL1458 ▶



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1458	7w	700lm	Φ170*500mm	2700-3000K	≥80	AL+IRON
KL1458	7w	700lm	Φ320*1440mm	2700-3000K	≥80	AL+IRON





▲ KT1429-200



▲ KT1429-150



▲ KT1429-120

Input : DC5V 2A

Cap : 4000mA

Size : 18650LI

Voltage : 3.7V



charge



touch dimming

Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1429-120	5w	500lm	Φ120*267mm	2700-3000K	≥ 80	AL+IRON
KT1429-150	6w	600lm	Φ150*311mm	2700-3000K	≥ 80	AL+IRON
KT1429-200	7w	700lm	Φ200*411mm	2700-3000K	≥ 80	AL+IRON






▲ KL1444



▲ KT1444



Product parameter



型号Model	功率Watt	流明Lumens	规格Size	色温Color	显色指数Ra	材质material
KT1444	7w	700lm	Φ150*462mm	2700-3000K	≥80	AL+IRON
KL1444	7w	700lm	Φ300*1220mm	2700-3000K	≥80	AL+IRON