

2022 NEW OUTDOOR SERIES

OUTDOOR LIGHTING PRODUCT MANUAL



LED LAWN LAMP




LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1001-1/2
Colore	Blac
Power	7/10W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V

IP65

Aluminium+Tempered Glass



Beam Angle 360°	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	

SH-LL1001-1/2




LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1002-1/2
Colore	Black
Power	7 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V

IP65

Aluminium+Tempered Glass




Beam Angle 360°	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	

SH-LL1002-1/2



LED LAWN LAMP LED草坪灯

PRODUCT DATA	
Model	SH-LL1003
Colore	Black
Power	7 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V




SH-LL1003



LED LAWN LAMP

PRODUCT DATA	
Model	SH-LL1004-1/2
Colore	Black
Power	7 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V



SH-LL1004-1/2




LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1007-1/2
Colore	Black
Power	7 W
Light source	COB
Color Temperature	3000K
Voltage	AC100-265V /DC24V




SH-LL1007-1/2



IP65

Aluminium+Tempered Glass



Beam Angle 360°			
	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	



LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1008-1/2
Colore	Black
Power	5 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V




SH-LL1008-1/2



IP65

Aluminium+Tempered Glass



Beam Angle 360°			
	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	




LED LAWN LAMP

PRODUCTDATA

Model 型号	SH-LL1008
Colore 颜色	Black 黑色
Power 功率	7 W
Light source 光源	COB
Color Temperature 色温	3000K
Voltage 电压	AC86-265V /DC24V

IP65
外壳材质：铝合金+钢化玻璃
Aluminium+Tempered Glass



Beam Angle 360°		
	h(m)	Ea(k)
1	57.25	296.90
2	14.31	593.80
3	6.361	890.70
4	3.578	1187.60
5	2.290	1484.50



SH-LL1008




LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1009-69
Colore	Black
Power	2*7 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V

IP65
Aluminium+Tempered Glass



Beam Angle 360°		
	h(m)	Ea(k)
1	57.25	296.90
2	14.31	593.80
3	6.361	890.70
4	3.578	1187.60
5	2.290	1484.50



SH-LL1009-69




LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1010
Colore	Black
Power	15 W
Light source	5730 SMD
Color Temperature	3000K
Voltage	AC86-265V / DC24V

IP65

Aluminium+Tempered Glass



Beam Angle 360°	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	



SH-LL1010




LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1011
Colore	Black
Power	12 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V

IP65

Aluminium+Tempered Glass



Beam Angle 360°	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	



SH-LL1011




LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1005
Colore	Black
Power	15 W
Light source	LED 5730
Color Temperature	3000K
Voltage	AC100-265V / DC24V

IP65

Aluminium+Tempered Glass



Beam Angle 360°			
	h(m)	Ea(lk)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	

SH-LL1005




LED LAWN LAMP

PRODUCTDATA 产品参数

Model	SH-LL1002-1/2
Colore	Black
Power	12 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V

IP65

Aluminium+Tempered Glass




Beam Angle 360°			
	h(m)	Ea(lk)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	

SH-LL1006-1/2




LED LAWN LAMP

PRODUCT DATA	
Model	SH-GL2001
Colore	Black
Power	24 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V




SH-GL2001




LED LAWN LAMP

PRODUCT DATA	
Model	SH-GL2002
Colore	Black
Power	24 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V



SH-GL2002



LED LAWN LAMP LED草坪灯

PRODUCTDATA

Model 型号	SH-LL1005
Colore 颜色	Brown
Power 功率	15 W
Light source 光源	LED
Color Temperature 色温	3000K
Voltage 电压	AC100-265V /DC24V

IP65

外壳材质： 不锈钢+仿云石

Stainless steel



SH-LL1005

LED LAWN LAMP LED草坪灯

PRODUCTDATA 产品参数

Model 型号	SH-LL1002-1/2
Colore 颜色	Brown 棕色
Power 功率	15 W
Light source 光源	COB
Color Temperature 色温	3000K
Voltage 电压	AC86-265V /DC24V

IP65

外壳材质： 不锈钢+仿云石

Stainless steel




SH-LL1006-1/2




LED LAWN LAMP

PRODUCTDATA			
Model	SH-LL1005		
Colore	Black		
Power	15 W		
Light source	LED 5730		
Color Temperature	3000K		
Voltage	AC100-265V / DC24V		




SH-LL1005




LED LAWN LAMP

PRODUCTDATA	
Model	SH-LL1002-1/2
Colore	Black
Power	12 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V



SH-LL1006-1/2




LED LAWN LAMP

PRODUCTDATA

Model 型号	SH-LL1005
Colore 颜色	Black 黑色
Power 功率	15 W
Light source 光源	LED 5730
Color Temperature 色温	3000K
Voltage 电压	AC100-265V /DC24V

IP65



Beam Angle 360°

	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	

SH-LL1005




LED LAWN LAMP LED草坪灯

PRODUCTDATA

Model	SH-LL1002-1/2
Colore	Black
Power	12 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V /DC24V

IP65



Beam Angle 360°

	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	

SH-LL1006-1/2



LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1005
Colore	Black
Power	15 W
Light source	LED 5730
Color Temperature	3000K
Voltage	AC100-265V /DC24V

IP65

SH-LL1005



LED LAWN LAMP

PRODUCTDATA

Model	SH-LL1002-1/2
Colore	Black
Power	12 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V /DC24V

IP65

SH-LL1006-1/2





LED WALL LAMP



SH-BL1001



SH-BL1002



SH-BL1003



SH-BL1004-1/2



SH-BL1005



SH-BL1006



SH-BL1007



SH-BL1008-A/B



SH-BL1009-1/2



SH-BL1010



SH-BL1011



SH-BL1012



SH-BL1013




SH-BL1014

LED WALL LAMP

PRODUCTDATA


Model	SH-BL1001
Colore	Black /White
Power	2*3 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V

SH-BL1001



IP65

Aluminium+Tempered Glass



Beam Angle 360°			
h(m)	Ea(k)	D(cm)	
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	



LED WALL LAMP

PRODUCTDATA


Model	SH-BL1002
Colore	Black /White
Power	2*6 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V

SH-BL1002




IP65

Aluminium+Tempered Glass



Beam Angle 360°			
h(m)	Ea(k)	D(cm)	
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	




LED WALL LAMP

PRODUCTDATA


Model	SH-BL1003
Colore	Black /White
Power	6 W
Light source	COB
Color Temperature	3000K
Voltage	AC86~265V / DC24V

SH-BL1003



IP65

Aluminium+Tempered Glass



Beam Angle 360°		
h(m)	Ea(k)	D(cm)
1	57.25	296.90
2	14.31	593.80
3	6.361	890.70
4	3.578	1187.60
5	2.290	1484.50



LED WALL LAMP

PRODUCTDATA


Model	SH-BL004-1/2
Colore	Black
Power	3 W/6W
Light source	COB
Color Temperature	3000K
Voltage	AC86~265V / DC24V

SH-BL1004-1/2



IP65

Aluminium+Tempered Glass



Beam Angle 360°		
h(m)	Ea(k)	D(cm)
1	57.25	296.90
2	14.31	593.80
3	6.361	890.70
4	3.578	1187.60
5	2.290	1484.50




LED WALL LAMP

PRODUCTDATA

Model	SH-BL1005-A/B
Colore	Black /White
Power	24 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V

IP65

Aluminium+Tempered Glass



Beam Angle 360°	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	

SH-BL1005-A/B



Size :

- A: 50*40*1000mm
- B: 80*40*1000mm


LED WALL LAMP

PRODUCTDATA

Model	SH-BL006-1/2/3
Colore	Black
Power	2*3 W/2*6W/2*9W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC24V

IP65

Aluminium+Tempered Glass




Beam Angle 360°	h(m)	Ea(k)	D(cm)
1	57.25	296.90	
2	14.31	593.80	
3	6.361	890.70	
4	3.578	1187.60	
5	2.290	1484.50	

SH-BL1004-1/2



Size :

- SH-BL1006-6W: Φ65*160mm
- SH-BL1006-12W: Φ90*260mm
- SH-BL1006-18W: Φ110*300mm



LED WALL LAMP

PRODUCTDATA

Model	SH-BL1007-A/B/C/D
Colore	Black
Power	3 W/8W/15W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V

IP65
外壳材质：铝合金
Aluminium



SH-BL1007-A/B/C/D

Size :
A: Φ 300mm B: Φ 600mm
C: Φ 800mm D: Φ 1000mm



LED WALL LAMP

PRODUCTDATA

Model	SH-BL008-A/B/C
Colore	Black
Power	3 W/8W/15W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V

IP65 Aluminium



SH-BL1008-A/B/C

Size :
A: Φ 300mm B: Φ 600mm
C: Φ 800mm



LED WALL LAMP

PRODUCTDATA


Model 型号	SH-BL1009-A/B
Colore	Black
Power	18/30 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V

SH-BL1009-A/B



IP65

Aluminium



Beam Angle 360°		
h(m)	Ea(k)	D(cm)
1	57.25	296.90
2	14.31	593.80
3	6.361	890.70
4	3.578	1187.60
5	2.290	1484.50



LED WALL LAMP

PRODUCTDATA


Model 型号	SH-BL1010
Colore	Black
Power	18W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V /DC24V

SH-BL1010



IP65

Aluminium+Tempered Glass



Beam Angle 360°		
h(m)	Ea(k)	D(cm)
1	57.25	296.90
2	14.31	593.80
3	6.361	890.70
4	3.578	1187.60
5	2.290	1484.50

Size

L 125*W 40*H 260mm




LED WALL LAMP

PRODUCTDATA

Model	SH-BL1011 SH-BL1012
Colore	Black
Power	18W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V

IP65

Aluminium



Beam Angle 360°		
h(m)	Ea(k)	D(cm)
1	57.25	296.90
2	14.31	593.80
3	6.361	890.70
4	3.578	1187.60
5	2.290	1484.50

SH-BL1011

SH-BL1012




LED WALL LAMP

PRODUCTDATA

Model	SH-BL013 SH-BL014
Colore	Black
Power	18W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V

IP65

Aluminium+Tempered Glass



Beam Angle 360°		
h(m)	Ea(k)	D(cm)
1	57.25	296.90
2	14.31	593.80
3	6.361	890.70
4	3.578	1187.60
5	2.290	1484.50

SH-BL1014

SH-BL1013





SH-UGL1001-A



SH-UGL1001-B



SH-UGL1002



SH-UGL1003-1/2



SH-UGL1004



SH-UGL1005



SH-UGL1006



SH-UGL1007



SH-UGL1008-A1/A2/A3



SH-UGL1009-Q1/2/3




SH-UGL1010-1/2



LED UNDERGROUND LIGHT

PRODUCT DATA	
Model	SH-UGL1001-A/B
Colore	Silver
Power	1 W
Light source	COB
Color Temperature	3000K
Voltage	DC12-24V
Beam Angle	30°

IP 67	
Aluminium + Tempered Glass	
Beam Angle 25°	
h(m)	Ea(lx)
1	2237 43.60
2	559.2 87.19
3	248.6 130.79
4	139.8 174.38
5	89.48 217.98



LED UNDERGROUND LIGHT

PRODUCT DATA	
Model	SH-UGL1002
Colore	Silver
Power	3 W
Light source	COB
Color Temperature	3000K
Voltage	DC12-24V
Beam Angle	30°

IP 65	
Aluminium + Tempered Glass	
Beam Angle 25°	
h(m)	Ea(lx)
1	2237 43.60
2	559.2 87.19
3	248.6 130.79
4	139.8 174.38
5	89.48 217.98



LED UNDERGROUND LIGHT

PRODUCT DATA

Model	SH-UGL1003-1/2
Colore	Silver
Power	1/3 W
Light source	COB
Color Temperature	3000K
Voltage	DC12-24V
Beam Angle	15° 30°

IP67

Stainless steel+Aluminium+Tempered Glass

Beam Angle 25°	h(m)	Ea(lx)	D(cm)
1	2237	43.60	
2	559.2	87.19	
3	248.6	130.79	
4	139.8	174.38	
5	89.48	217.98	



LED UNDERGROUND LIGHT

PRODUCT DATA

Model	SH-UGL1004
Colore	Silver
Power	3*1W
Light source	COB
Color Temperature	3000K
Voltage	DC12-24V
Beam Angle	30° 60°

IP65

Aluminium+Tempered Glass

Beam Angle 25°	h(m)	Ea(lx)	D(cm)
1	2237	43.60	
2	559.2	87.19	
3	248.6	130.79	
4	139.8	174.38	
5	89.48	217.98	



LED UNDERGROUND LIGHT


PRODUCTDATA 产品参数

Model 型号	SH-UGL1005
Colore	Silver
Power	3 W
Light source	COB
Color Temperature	3000K
Voltage	DC12-24V
Beam Angle	90°

IP67

Stainless steel + Aluminium + Tempered Glass


Beam Angle 25°



h(m)	Ea(d)	D(cm)
1	2237	43.60
2	559.2	87.19
3	248.6	130.79
4	139.8	174.38
5	89.48	217.98



SH-UGL1005



LED UNDERGROUND LIGHT


PRODUCTDATA

Model	SH-UGL1006
Colore	Silver
Power	1 W
Light source	COB
Color Temperature	3000K
Voltage	DC12-24V
Beam Angle	15° / 45°

IP65

Aluminium + Tempered Glass



Beam Angle 25°



h(m)	Ea(d)	D(cm)
1	2237	43.60
2	559.2	87.19
3	248.6	130.79
4	139.8	174.38
5	89.48	217.98



SH-UGL1006



LED UNDERGROUND LIGHT

PRODUCT DATA

Model	SH-UGL1007
Colore	Silver
Power	3 W
Light source	COB
Color Temperature	3000K
Voltage	DC12-24V
Beam Angle	45°



SH-UGL1007



IP67

Stainless steel+Aluminium+Tempered Glass

Beam Angle 25°

h(m)	Ea(lx)	D(cm)
1	2237	43.60
2	559.2	87.19
3	248.6	130.79
4	139.8	174.38
5	89.48	217.98




LED UNDERGROUND LIGHT

PRODUCT DATA

Model	SH-UGL1008-A1/A2/A3
Colore	Silver
Power	1 W
Light source	COB
Color Temperature	3000K
Voltage	DC12-24V
Beam Angle	A1 A2 A3



SH-UGL1008-A1/A2/A3



IP65

Aluminium+Tempered Glass

Beam Angle 25°

h(m)	Ea(lx)	D(cm)
1	2237	43.60
2	559.2	87.19
3	248.6	130.79
4	139.8	174.38
5	89.48	217.98




LED UNDERGROUND LIGHT

PRODUCTDATA

Model	SH-UGL1009-Q1/2/3
Colore	Silver
Power	3 W
Light source	COB
Color Temperature	3000K
Voltage	DC12-24V
Beam Angle	Q1 Q2 Q3




SH-UGL1011-Q1/2/3



IP67


Stainless steel+Aluminium+Tempered Glass



LED UNDERGROUND LIGHT


PRODUCTDATA

Model	SH-UGL1010-1/2
Colore	Black
Power	3 W/2*3W
Light source	COB
Color Temperature	3000K
Voltage	DC24V
Beam Angle	A1 A2



IP65

Aluminium+Tempered Glass





LED STEP LAMP



PRODUCTDATA


Model	SH-SL5001
Colore	White
Power	3 W
Light source	COB
Color Temperature	3000K
Voltage	AC100-265V

IP 65

Aluminium+Tempered Glass



SH-SL5001



PRODUCTDATA


Model	SH-SL5002
Colore	White
Power	3 W
Light source	COB
Color Temperature	3000K
Voltage	AC100-265V

IP 65

Aluminium+Tempered Glass



SH-SL5002



PRODUCTDATA 产品参数

Model	SH-BL5001
Colore	Black
Power	3 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC12-24V
Size(D*L*H)	L 145*W 70*H 60mm /L 100*W 60*H 52mm

IP 65

Aluminium + Tempered Glass



SH-BL5001



PRODUCTDATA

Model	SH-SL1002
Colore	Black
Power	6 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC12-24V
Beam Angle	AC86-265V / DC12-24V

IP 65

Aluminium + Tempered Glass



SH-UGL1002



PRODUCT DATA

Model	SH-SL1002
Colore	Black
Power	6 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC12-24V

SH-UGL1002



IP 65

Aluminium • Tempered Glass



PRODUCTDATA 产品参数

Model	SH-BL5001
Colore	Black
Power	3 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC12-24V

Size(D*L*H) L 145*W 70*H 60mm
/L 100*W 60*H 52mm

IP 65 Aluminium



SH-BL5001



PRODUCTDATA


Model	SH-SL1002
Colore	Black
Power	3 W
Light source	COB
Color Temperature	3000K
Voltage	AC86-265V / DC12-24V

IP 65

Aluminium




SH-UGL1002



LED

LED SOFT STRIP LIGHT



SH-UGL1001




SH-UGL1002



LED SOFT STRIP LIGHT

PRODUCTDATA


Model	SH-UGL1001
Colore	White
Power	10 W/M
Light source	COB
Color Temperature	3000K/ 4000K/ 6000K
Voltage	AC86-265V / DC24V



LED SOFT STRIP LIGHT

PRODUCTDATA

Model	SH-UGL1002
Colore	White
Power	10 W/M
Light source	COB
Color Temperature	3000K/ 4000K/ 6000K
Voltage	AC86-265V / DC24V





LED WALL WASHER





LED WALL WASHER

PRODUCTDATA 产品参数

Model 型号	SH-XQ1001/12
Colore 颜色	Silver 银色
Power 功率	12/18/24 W
Light source 光源	COB
Color Temperature 色温	3000K

IP65

Aluminium+Tempered Glass



SH-XQ1001-1/2





LED WALL WASHER

PRODUCTDATA


Model	SH-XQ1001/12
Colore	Silver
Power	70/90 W
Light source	COB
Color Temperature	3000K

IP65

Aluminium+Tempered Glass



SH-XQ1002-1/2



LED FLOOD LIGHT



Model	SH-FL1001/30W
Colore	White
Power	30 W
Light source	COB
Color Temperature	3000K/4000K/6000K



Model	SH-FL1002/50W
Colore	White
Power	50 W
Light source	COB
Color Temperature	3000K/4000K/6000K




Model	SH-FL1003/100W
Colore	White
Power	100 W
Light source	COB
Color Temperature	3000K/4000K/6000K



Model	SH-FL1004/200W
Colore	White
Power	200 W
Light source	COB
Color Temperature	3000K/4000K/6000K

IP67

Aluminium



IP67

Aluminium

